		<u>Sheet 1 of 3 .</u>		
		SERIAL NO. 10/650,608		
N DISCLOSURE STATEMENT Y APPLICANT	APPLICANT Cassart, et al.			
(Use several sheets if necessary)	FILING DATE August 28, 2003	GROUP Unknown		
	Patent and Trademark Office N DISCLOSURE STATEMENT Y APPLICANT	Y APPLICANT FILING DATE	U.S. Department of Commerce Patent and Trademark Office BC45300-1 SERIAL NO. 10/650,608 N DISCLOSURE STATEMENT APPLICANT Cassart, et al. FILING DATE GROUP	

U.S. PATENT DOCUMENTS Examiněr Document Date Name Class Subclass Filing Date Initial If Appropriate øNumber

FOREIGN PATENT DOCUMENTS

		Document Number	Date Country Class		Subclass	<u>Translation</u> Yes I No			
MD CDW	AA	WO9315763	1993-08-19	PCT				, , ,	
	AB_	WO0053748	2000-09-14	PCT		<u></u>	<u> </u>		
	AC	WO200157275	2001-01-30	PCT		ļ			
	AD	WO200157276	2001-01-30	PCT					
	AE	WO9514772	1994-11-11	PCT	<i>ce/1995</i>		<u></u> .		
V	AF	WO01/02828	2001-11-01	PCT					

OTHER DOCUMENTS (Including Author, Title, Date, Perlinent Pages, Etc.)

BA Database- Swiss-Prot Accession Number: Q99929 (November 1, 1997) MD BB Database-EMBL Accession Number: U77629 (November 27, 1997) Alders, et al., The Human Achaete-Scute Homologue 2 (ASCL2, HASH2) Maps To BC Chromosome 11p15.5, Close to IGF2 and is Expressed in Extravillus Trophoblasts," Human Molecular Genetics Vol 6, No. 6 pp:859-867 (1997) BD Database- Swiss-Prot Accession Number: Q9WUJ7 (November 1, 1999) BE Database- Swiss-Prot Accession Number: 035885 (January 1, 1998) BF Database- EMBL Accession Number U77628 (November 27, 1997) Database-EMBL Accession Number X53724 (September 22, 1990) BG Miyamoto, et al., "The Human ASCL2 Gene Escaping Genome Imprinting and its Expression BH Pattern," J. Assist. Reprod. Gene. Date? Reviewed but cannot be published. /TD/ Westerman, et al., The Human Achaete Scute Homolog 2 gene contains two promotors, BI generating overlapping transcripts and encoding two proteins with different nuclear localization. Placenta 2001 Jul;22(6):511-8. Jiang, et al., Hypoxia prevents induction of aromatase expression in human trophoblast cells BJ in culture: potential inhibitory role of the hypoxia-inducible transcription factor Mash-2 (mammalian achaete-scute homologous protein-2). Mol Endocrinol 2000 Oct; 14(10):1661-73. Scott IC, et al., The HAND1 basic helix-loop-helix transcription factor regulates trophoblast BK

differentiation via multiple mechanisms. Mol Cell Biol 2000 Jan;20(2):530-41.

